

5

APPLICATION FOR UNITED STATES LETTERS PATENT

FOR

10

**MOBILE DEVICES WITH INTEGRATED VOICE RECORDING
MECHANISM**

15

Inventors: Yingju Sun
Joe Zheng
7394 Wildflower Way
Cupertino, CA 95014
Citizenship: USA

20

25

Express Mail Label # EK628885759US ; Date of Deposit: 04/26/2001

30

I hereby certify that this paper or fee is being deposited with the United States Postal Service using "Express Mail Post Office To Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to "Assistant Commissioner for Patents, Washington, DC 20231."

35

Name: Yingju Sun Signature: 

5

MOBILE DEVICES WITH INTEGRATED VOICE RECORDING MECHANISM

Yingju Sun
Joe Zheng

BACKGROUND OF THE INVENTION

10

Field of the Invention

[0001] The present invention relates to voice recording systems and more particularly to a mobile device with a built-in voice recording mechanism, wherein the mobile device may be a mobile telephone that sometimes is referred to as a cell phone.

15

Description of the Related Art

[0002] The most common reason for wanting to record audio such as one's own voice or the voice of someone being interacted with is accuracy. Where business or financial transactions are being conducted, it may be very helpful to refer back to an audio transcript.

20

[0003] In the last five years, wireless communication devices such as cellular phones have become increasingly popular and it has been predicted that there will be 1 billion cellular phones worldwide by the year 2005. The popularity of the cellular phones has penetrated deeply into our lives. One can see people talking on cellular phones nearly everywhere.

25

[0004] One of the reasons that the cellular phones are so popular is the provided convenience. A caller can reach a callee from anywhere, likewise, a callee can receive a call from anywhere. Hence, users depend heavily on the mobility of cellular phones. It is often seen that a user talks on a cellular phone while driving a car. In fact, talking on a phone while driving is dangerous enough. Taking notes while driving could be even

30

5 more dangerous, which often happens when a user is given an appointment schedule or a phone number in a conversation to remember.

[0005] What is needed is a method or an apparatus for recording, perhaps, processing and managing audio content, where that content is captured using a mobile device having an integrated audio recorder therein.

10 SUMMARY OF THE INVENTION

[0006] An object of the present invention is to provide an apparatus and method for recording audio inputs while a user of a mobile device is on the go. Typically, a user of a cellular phone, when talking on the phone, is away from his/her desk or far away from reaching a writing medium, it is commonly experienced that the user has to remember important things from a conversation carried on the phone, such as a phone number and a schedule. Such important things could be overlooked later if the user could not write them down. The present invention can be advantageously used to facilitate the remembrance of these important things. Further, the present invention can be used to remember items of interests (e.g. an advertisement, a phone number and information from a billboard).

[0007] According to one aspect of the present invention, a mobile apparatus includes a mobile device with telephonic capabilities so that a user of the mobile apparatus can make/receive a call while in motion, a recording mechanism integrated within the mobile device and wherein the recording mechanism records an audio input from a user so that the audio input can be replayed later. The mobile device with telephonic capabilities means that the mobile device can be used for voice communications over a wireless network. The mobile device may be a cellular phone. With the

5 integrated recording mechanism, the mobile device is expanded to be a mobile apparatus that can function as a phone and/or a voice recorder.

10 [0008] Existing answering machines facilitate voice recording but could not provide the regular two-way voice communication. Existing telephones with an integrated answering recorder is to provide a single apparatus for answering incoming calls when they are not picked up. Significantly different from those existing machines, the voice recorder in the present invention is not designed to answer incoming calls since in most cases a wireless carrier of wireless voice communication facilities automatic answering features through its base stations or centers. Evidently, it is not obvious to integrate a voice recorder in a wireless phone. As one of the features in the present invention, the voice recorder is used conveniently as an electronic medium for a user on the go to remember things that otherwise would be wrote in a notebook.

20 [0009] According to another aspect of the present invention, the voice recorder operates only when the phone is not engaged in voice communication. As such, the purpose of the voice recorder is not designed to record a conversation carried by the phone. However, it is understood that the voice recorder may be configured or controlled to record a conversation if permitted or only record one side of the conversation by the user of the device.

25 [0010] Many wireless phones have an internal memory space. According to one embodiment, the implementation of the present invention is to utilize some of the components in the phones to facilitate the recording capabilities. For example, a phone includes a microphone for a user thereof to talk to a person on the other side of a conversation and a speaker for the

5 user to listen to the conversation. Accordingly, a voice input can be
received from a microphone of the phone. The voice input may be digitized
and the digitized voice input can now be stored in memory of the phone.
The stored contents may be played back and listened to from the speaker.
One of the advantages and benefits of the present invention is to allow a
10 user of a mobile device to record things that the user desires to remind
himself/herself of in another time.

[0011] The foregoing and other objects, features and advantages of
the invention will become more apparent from the following detailed
description of a preferred embodiment, which proceeds with reference to
15 the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

[0012] The present invention will be readily understood by the
following detailed description in conjunction with the accompanying
drawings, wherein like reference numerals designate like structural
20 elements, and in which:

FIG. 1 is a block diagram of a communications system which may be
used to implement the method and system embodying the present
invention;

FIG. 2 is a block diagram of cellular telephone having an integrated
25 audio recording device in accordance an embodiment of the present
invention;

FIG. 3 illustrates a functional block diagram of the components
associated with a representative cellular telephone having an integrated

5 audio recording device in accordance with an embodiment of the present invention;

FIG. 4 illustrates a functional block diagram of the functional software modules associated with a representative cellular telephone having an integrated audio recording device in accordance with an embodiment of the present invention;

FIGS. 5A through 5J illustrate representative graphical user interfaces associated with a cellular telephone having an integrated audio recording device in accordance with an embodiment of the present invention;

FIG. 6 illustrates a representative graphical user interface for an associated personal computer archival management program in accordance with an embodiment of the present invention; and

FIG. 7 is a flow diagram of the process associated with processing, storing, annotating and managing recorded audio content in accordance with an embodiment of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

[0013] The invention pertains to a method and a system for recording, processing, storing and annotating audio input using a mobile phone having an integrated audio recorder whose mode of operation is regulated by pre-defined rules which are associated with the phone's operational parameters (i.e., power management setting, functional settings etc.) and regulations (i.e., federal laws, state laws, and operator originated rules).

5 **[0014]** Mobile phones, also referred to as a wireless two-way
communications device, include but are not limited to wireless cell phones,
cellular phones, smart phones, palm-sized computing devices having
telephone-like (telephonic) features, and similar networked audio
communication devices. Such devices typically have a user interface
10 comprised of a display and a keyboard/keypad, a microphone and a
speaker.

15 **[0015]** The detailed description of the present invention is presented
largely in terms of procedures, steps, logic blocks, processing, and other
symbolic representations that directly or indirectly resemble the operations
of data processing devices coupled to networks. These process
descriptions and representations are typically used by those skilled in the
art to most effectively convey the substance of their work to others skilled in
the art. Reference herein to "one embodiment" or "an embodiment" means
20 that a particular feature, structure, or characteristic described in connection
with the embodiment can be included in at least one embodiment of the
invention. The appearances of the phrase "in one embodiment" in various
places in the specification are not necessarily all referring to the same
embodiment, nor are separate or alternative embodiments mutually
exclusive of other embodiments. Further, the order of blocks in process
25 flowcharts or diagrams representing one or more embodiments of the
invention do not inherently indicate any particular order nor imply any
limitations in the invention.

30 **[0016]** Referring now to the drawings, in which like numerals refer to
like parts throughout the several views. **FIG. 1** shows an exemplary system
configuration in which the present invention may be implemented in
accordance with an embodiment. Cellular telephones having Audio

5 Recording Capabilities (ARC) **102** and **104** (also referred to as ARC phones
herein) have access to a wireless communication network **110**. ARC
phones **102** and **104** also have access to a land based data
communications network **114** either through gateway server **118** or through
networked personal computer **106**. Access to remote server devices such
10 as corporate server device **120** is through land based data communications
network **114**.

[0017] In accordance with an embodiment of the present invention,
ARC phones **102** and **104** can be used to record audio input from a user
thereof or to process an electrical representation of the audio input. The
15 operations associated with recording, processing, storing and annotating
the audio input using the ARC phones may be regulated by pre-defined
rules associated with operational parameters of the subject device or pre-
defined regulations. For example, the recording of the audio input is set to
occur only when the phone is off line (to avoid any possible legal
20 implications), subject to a time duration determined by the memory capacity
in the phone, and the recorded audio input may be replayed, processed or
transferred.

[0018] Optionally, ARC phone **102** (or **104**) can selectively function
as an electronic *Dictaphone* or it can be used to record telephone calls so
25 long as the recording operations performed are in accordance with pre-
defined rules which may be derived from authoritative regulations (i.e.,
Federal defined, State defined, Municipality defined, carrier-defined,
organization defined). For example, if a state or municipality allows
recording only if all the participating parties are in agreement, the call
30 recording feature will be inactivated unless some action is taken (i.e., a
digital agreement) that affirms that all parties concerned have agreed to

5 have the call recorded. Additionally, the device may be configured so that only the parties agreeing to the recording will have their voices recorded while the other parties have there audio input muted.

10 **[0019]** Once audio inputs have been recorded as audio files in digital format, they can be annotated using information resident on the subject devices (i.e., ARC phones **102** or **104**) or on remotely accessible devices, such as time stamping the audio files. According to one embodiment, the audio files may be stored locally or transferred to a remote device for archival such as corporate server device **120** or personal computer **106** using the wireless communications network or through a *Hot-Sync* type connection (i.e., through personal computer **106**).

15 **[0020]** Referring to **FIG. 2**, a representative ARC phone **202**, which may be ARC phone **102** or **104** of **FIG. 1**, is illustrated. ARC phone **202** includes LCD display **206**, softkeys **210A** and **210B**, navigation keyset **214**, dedicated function keys <POWER> **218** and <e-Mail> **222**, keypad **226** with additional keys for recorder operation, a universal serial bus port **230**, speaker **234**, microphone **238** and removable memory **242** (i.e., a Sony 64MB MemoryStick™). The user interface, as described above, and resident software modules which will be described below, control both phone functions and recorder functions in accordance with a preferred
20
25 embodiment of the present invention.

[0021] **FIG. 3** illustrates a functional block diagram of hardware components associated with a representative cellular telephone having Audio Recording Capabilities (ARC) **300** in accordance with one embodiment of the present invention. ARC phone **300** comprises a processor **304**, a power management module **308** which may take the form
30

5 of an ASIC or a software module processed by processor **304**, ROM/RAM
312, Audio grade dynamic RAM (ARAM) **316** (e.g., AT45D041 Serial
DataFlash 4-megabit flash memory from Atmel Corporation), Removable
Memory **320** (e.g. Sony 64MB MemoryStick™), recorder ASIC **324** (e.g.,
10 DSP160x family of digital signal processors from Lucent Microelectronics),
transceiver **328**, power supply **332**, USB port **336**, and user interface **340**
which controls microphone **344**, speaker **348**, LCD display **352** and keypad
356. Other common components, such as Analog-to-Digital (A/D)
converter, are not shown in the figure, to avoid obscuring aspects of the
present invention. However, it is known to those skilled in that art that not
15 every component in **FIG. 3** has to be employed in order to practice the
present invention.

[0022] **FIG. 4** illustrates a functional block diagram of a software
control module **400** associated with a representative ARC phone which may
be used to implement functions contemplated in the present invention.
20 According to one embodiment, module **400** includes mode control **404**, a
voice recorder control module **408**, a cell phone control module **412**, a
file/record management control module **416**, and a memory management
control module **420**. In operation, model control **404** that may be controlled
through one or more of the keys in the keypad determines an operation
25 mode, for example, talking mode, recording mode, talking/recording mode
and file management mode. In that talking mode that may be configured to
be default when the phone is on line, the recording capability is suspended.
In the recording mode, audio inputs from a user can be recorded off line,
namely, the recording only occurs when the phone is off line. In
30 talking/recording mode, the integrated voice recorder is used to record the
conversation on the line. The memory management control module controls

5 permanent onboard storage (i.e., ARAM **316** of **FIG. 3**), removable storage
428 (i.e., removable memory module **320** of **FIG. 3**) and remote storage
422.

[0023] In accordance with an embodiment of the present invention,
when an ARC phone is recording a telephone conversation, its mode of
10 operation is effected by parameters and user-presets. In one embodiment,
some of the parameters are related to pre-defined rules that have been
stored locally on the subject device or are accessible through a remote
server device. These pre-defined rules are derived from Federal, State and
Municipal laws or from regulations originating from the wireless service
15 provider or some other entity having administrative control over the
communications channel. For example, in the state of Maryland,
permission is required from all parties involved to record a phone call. In
another embodiment, since, cellular phones are geographically aware of
their physical location, the ARC phone could have its recording mode of
20 operation suspended while on a phone call in the state of Maryland unless
there is some affirmative indication that permission for recording has been
given, or the ARC phone may only record the portion of the conversation
passing the ARC phone user's microphone.

[0024] **FIGS. 5A** through **5J** illustrate representative graphical user
25 interfaces (GUI) associated with a cellular telephone having an integrated
audio recording mechanism in accordance with an embodiment of the
present invention. Referring to **FIG. 5A**, a *mode selection* GUI is displayed
on display **506** of ARC phone **502** which may correspond to ARC phone
102 or **104** of **FIG. 1**. On this GUI screen, a user may select a desired
30 operational mode. In **FIG. 5A**, the <Voice Recorder> option has been
selected using navigational keyset **514**. Activating softkey **510A** will place

5 ARC phone **502** in Voice recorder mode of operation and the GUI will
change as illustrated in **FIG. 5B**.

[0025] Referring to **FIG. 5B**, the Voice Recorder control GUI is
displayed. On this GUI, the user has access the control features
associated with playing and recording audio input, set up features for
10 recording telephone calls, tools for associating recorded content with
previously stored records and for utilities for memory management. In the
example provided the <Recording/Play> option has been selected.
Activation of softkey **510A** will place ARC phone **502** in the Record/Play
mode of operation as is illustrated in **FIG. 5C**.

15 [0026] Referring to **FIG. 5C**, the Record/Play GUI is displayed. On
this GUI the user has access to the control features associated with
recording audio input or playing previously recorded audio files. In the
example provided the <Start Recording> option has been selected.
Activation of softkey **510A** will place ARC phone **502** in the recording mode
20 of operation as is illustrated in **FIG. 5D**.

[0027] Referring to **FIG. 5D**, the Recording GUI is displayed. On this
GUI the user is provided with indicators relating to the memory type being
used to record the audio input, memory already used (measured in time
based on current mode of operation), memory remaining, instructions on
25 how to stop recording and a graphic showing the usage of the memory
module. It is important to note at this point that multiple memory modules
(removable, non-removable or a mixture) can be used in a single recording
session. Pressing the <STOP> key or the softkey **510A** will cause the
recording process to stop and the GUI illustrated in **FIG. 5E** to be displayed.

5 **[0028]** Referring to **FIG. 5E** the file annotation GUI is displayed.
 Using this GUI a user can access GUI's for annotating the recorded audio
 input, associate it with previously stored files resident locally or on some
 remote storage device, transfer the recorded and annotated file to a remote
 storage type or from one type of local memory to another (i.e., permanent to
 10 removable memory), and utilities for saving the subject content locally
 without providing annotation. In the example provided the <Index and
 Save> option has been selected. Activation of softkey **510A** will place ARC
 phone **502** in the Index and Save mode of operation as is illustrated in **FIG.**
5F.

15 **[0029]** Referring to **FIG. 5F**, the Index and Save GUI is displayed.
 Using this GUI a user can provide an identifier for the recorded audio
 content, and password protect it if needed. Activation of softkey **510A**
 (<SAVE>) will save the annotated file and change the display to a modified
 annotation page as is illustrated as an example in **FIG. 5G.**

20 **[0030]** Referring to **FIG. 5G**, a modified annotation page is displayed.
 Using this GUI the user can associate the annotated audio file with
 previously stored records (i.e., email, documents other audio files etc.),
 transfer the annotated files or conclude the process. In the example
 provided the <Associated with stored files> option has been selected.
 25 Activation of softkey **510A** (<SAVE>) will change the display to the file
 association GUI illustrated in **FIG. 5H.**

[0031] Referring to **FIG. 5H**, the file association GUI is displayed.
 Using this GUI a user can associate the recorded audio file with previously
 stored files or file groups. In the example provided the <ACME Account>
 30 file group has been selected. Activation of softkey **510A** will associated the

5 recorded audio file with the ACME account group and change the display to a modified annotation page GUI as is illustrated in **FIG. 5I**.

[0032] Referring to **FIG. 5I**, a modified annotation page GUI is displayed. Using this GUI a user can access utilities associated with transferring saved audio files to local or remote resources. In the example provided the <Transfer Saved File> is selected. Activation of softkey **510A** will change the display to the file transfer page GUI as is illustrated in **FIG. 5J**.

[0033] Referring to **FIG. 5J**, the file transfer page GUI is displayed. Using this GUI a user can transfer saved audio files locally between memory types or to remote archives as required. Remote transfers may be carried out using a wireless communications channel or a Hot-Sync type of operation.

[0034] It should be noted that **FIGS. 5A - 5J** are provided to demonstrate one type of cellular phones that can be integrated with a voice recorder internally. Those skilled in the art will understand that other types of cellular phones or mobile device with telephonic capabilities may deploy various graphic or non-graphic user interfaces, hence leading to possible different interactions, to facilitate the use of the integrated voice recorder therein.

25 [0035] **FIG. 6** illustrates a representative graphical user interface (GUI) for an associated personal computer archival management program in accordance with an embodiment of the present invention. This GUI illustrates the relationship between the archived audio files and their association to other file types. Specifically, the archived audio files can be

5 associated with text files and other user applications (i.e., voice recognition programs, calendars, email etc.).

[0036] FIG. 7 is a flow diagram of a process associated with recording an audio content, processing, storing, annotating or managing the recorded audio content in accordance with an embodiment of the present invention. At **704** a determination is made as to whether the device is to be placed in the talking (calling) mode. The alternative mode of operation is as an audio recording device at **708**.

[0037] When it is determined that the operation mode is for recording, recorder parameters (for recording and playing) are activated at **708**. At **716** a determination is made as to whether an audio input should be recorded. If recording is selected then the memory status is monitored at the beginning of, and during the recording process. If memory resources are determined to be low, a warning (audio or text) may be issued. Additionally, if an alternate memory resource is available, the destination storage device may be changed (i.e., permanent memory to removable memory) automatically or selectively. At **732** the audio input is processed in accordance with the set parameters and the process may move to **736** in which the user may annotate the recorded contents.

[0038] If at **704** the cell phone mode of operation is selected, the calling functionality is applied at **740**. A determination is made at **744** as to whether an incoming or established phone call is to be recorded. If the call is not to be recorded then it processed normally without recording at **756** and process is concluded. If the call is to be recorded then a determination is made at **748** as to whether preset guidelines, as previously described, permit the recording of the subject call or the manner to be allowed for

5 recording the call. It is important to note at this point that these guidelines may be changed dynamically as required depending on the location of the participating entities and any associated network or regulatory parameters. If recording is allowed with constraints then those constraints are identified at **748** and implemented at **712**. If recording is not allowed then a message
10 is generated at **752** and the call is processed at **756** without recording.

[0039] The invention may be implemented as an apparatus, a method or a computer product or take the form of a computer readable code on a computer readable medium, each yielding one or more of the following advantages and/or benefits. One of them is that now a user of
15 mobile phone can immediately record what is important in a phone conversation right after or in the middle of the phone conversation. Another one is that the present invention allows the user to manage the recorded contents, for example, replay to recall what is recorded, manage the recorded contents and transfer the contents to another computing device
20 through a data network or a coupling mechanism. Other advantages or benefits are apparent to those skilled in the art from the description herein.

[0040] The present invention has been described in sufficient detail with a certain degree of particularity. It is understood to those skilled in the art that the present disclosure of embodiments has been made by way of
25 examples only and that numerous changes in the arrangement and combination of parts may be resorted without departing from the spirit and scope of the invention as claimed. While the embodiments discussed herein may appear to include some limitations as to the presentation of the information units, in terms of the format and arrangement, the invention has
30 applicability well beyond such embodiment, which can be appreciated by those skilled in the art. Accordingly, the scope of the present invention is

5 defined by the appended claims rather than the forgoing description of
embodiments.

10

Patented by the United States Patent and Trademark Office